


AMENDMENTS TO THE CLAIMS

1. (Original) A fungicidal mixture for controlling harmful fungi, which mixture comprises


- 1) the triazolopyrimidine derivative of the formula I



I

and

- 2) fludioxonil of the formula II,



II

in a synergistically effective amount.

2. (Original) The fungicidal mixture as claimed in claim 1 comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.

3. (Currently Amended) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 1 ~~or 2~~.
4. (Original) A method for controlling harmful fungi, which comprises treating the fungi, their habitat or the plants, the soil or the seed to be protected against fungal attack with an effective amount of the compound I and the compound II as set forth in claim 1.
5. (Currently Amended) The method according to claim 4, wherein the compounds I and II ~~as set forth in claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently Amended) The method according to claim 4, wherein the mixture ~~as claimed in claim 1 or 2~~ is applied in an amount of from 5 g/ha to 2000 g/ha.
7. (Currently Amended) The method according to ~~any of claims 4 to 6~~ claim 4, wherein rice-pathogenic harmful fungi are controlled.
8. (Currently Amended) The method according to claim 4 ~~or 5~~, wherein the mixture ~~as claimed in claim 1 or 2~~ is applied in an amount of from 0.1 to 100 g/100 kg of seed.
9. (Currently Amended) Seed comprising the mixture as claimed in claim 1 ~~or 2~~ in an amount of from 0.1 to 100 g/100 kg.

10. (Original) The use of the compounds I and II as set forth in claim 1 for preparing a composition suitable for controlling harmful fungi.
11. (New) A fungicidal composition comprising a liquid or solid carrier and a mixture as claimed in claim 2.
12. (New) The method wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
13. (New) The method wherein the mixture as claimed in claim 1 is applied in an amount of from 5 g/ha to 2000 g/ha.
14. (New) The method wherein the mixture as claimed in claim 2 is applied in an amount of from 5 g/ha to 2000 g/ha.
15. (New) The method according to claim 5, wherein rice-pathogenic harmful fungi are controlled.
16. (New) The method according to claim 6, wherein rice-pathogenic harmful fungi are controlled.

17. (New) The method according to claim 5, wherein the mixture is applied in an amount of from 0.1 to 100 g/100 kg of seed.
18. (New) The method wherein the mixture as claimed in claim 1 is applied in an amount of from 0.1 to 100 g/100 kg of seed.
19. (New) The method wherein the mixture as claimed in claim 2 is applied in an amount of from 0.1 to 100 g/100 kg of seed.
20. (New) Seed comprising the mixture as claimed in claim 2 in an amount of from 0.1 to 100 g/100 kg.